

Food Service Inspections

Updated 11/23/2009

Establishment	Date of Inspection	Score	Comments
31-E One Stop 8180 New Gallatin Road Adolphus, KY	09/21/2009	98	Cabinet corners in need of repair Dish Drainer lacks frequent cleaning
Allen County Headstart 311 North 3 rd Street Scottsville, KY 42164	07/07/2009	99	Thermometers must be present in all refrigerators & freezers
Allen County High School 1545 Bowling Green Road Scottsville, Ky 42164	11/19/2009	98	Walk in freezer door not properly maintained Air returns lack frequent cleaning Fan grills lack frequent cleaning Walk in Freezer has large amounts of frost build up
Allen Co. Intermediate Center 720 Oliver Street Scottsville, KY 42164	10/02/2009	94	Spoiled food on shelves Severely dented cans Container improperly labeled
Allen County Primary Center 721 New Gallatin Road Scottsville, KY 42164	11/19/2009	99	Seals of drink coolers lack frequent cleaning
Amos Grocery 4301 Lafayette Road Scottsville, KY 42164	10/12/2009	100	Congratulations on a perfect score!
Anderson's Market 6513 Mount Union Road Scottsville, KY 42164	07/22/2009	88	OTC drugs expired Thermometers must be in all refrigerators & freezers Wiping cloths stored incorrectly on counters Food items stored under non-food items

Aspen Steakhouse
889 Old Gallatin Road
Scottsville, KY 42164

08/27/2009

99

Dish strainer in need of repair

Birdie's Kitchen
71 Lois Moore Drive
Scottsville, KY 42164

09/03/2009

99

Cabinet lacks frequent cleaning

Bob's Custom Butchering
3899 Old Glasgow Rd.
Scottsville, KY 42164

06/19/2009

98

AC Grill lacks frequent cleaning
Floors not clean

Blackbird Boutique
115 East Public Square
Scottsville, Ky 42164

08/07/2009

95

No hot water in restrooms.

Brown's Pay Lake & Café
976 Carter Church Road
Scottsville, Ky 42164

09/17/2009

95

Surface behind stove not easily cleaned (wood)
Wiping cloths must be stored in sanitizing solution
Women's sink in need of repair
Lights need shield

Callie's Coffee Hop
135 East Main Street
Scottsville, KY 42164

06/18/2009

100

Congratulations on a perfect score!

Center for Courageous Kids
1501 Burnley Road
Scottsville, KY 42164

08/21/2009

100

Congratulations on a perfect score!

China King

508 East Main Street
Scottsville, KY 42164

09/09/09

57

Containers stored without label
Salad Bar out of temperature (52 F)
Freezer out of temperature (20 F)
Thermometer not present
Food not stored 6 inches off floor
Lemon not stored on ice
Ice scoop not properly stored
Ice cream dipper in bad repair
Cabinets under coke machine need repair
Wash water dirty, no strainer for sink
No sanitizer in 3 compartment sink
Wiping cloths not stored in bleach water
Refrigerator & freezer dirty
Cans used as food storage containers
No hot water at hand sink
Hand sink dirty
Sinks leaking
No paper towels at hand wash sink
Chicken scraps uncovered
Insects present
Garbage area – Dirty
Ceiling tiles in need of repair
Lights must have shield
Mop must be hung to dry

Community Action Senior Center

225 North 6th Street
Scottsville, KY 42164

09/18/2009

96

Sink in need of repair.
Floors do not have easily cleanable surface.
Ceiling in need of repair
Lights lack shield

Cornerstone Manor

Water Street
Scottsville, KY 42164

07/09/2009

94

Repair needed under hand wash sink.
Garbage containers must be covered.

Countryside Meats

454 Napier Road
Scottsville, KY 42164

08/07/2009

95

Thermometers must be present in all refrigerators
Scales in need of repair
Utensils lack frequent cleaning
Microwave lacks frequent cleaning
Mop must be hung to air dry

Dairy Queen 1605 Gallatin Road Scottsville, KY 42164	11/19/2009	94	Ice cream prep area needs non absorbent cover Freezers need to be defrosted Freezer lid in need of repair Walk in freezer lacks adequate lighting
Dollar General Market 40 Burnley Road Scottsville, KY 42164	08/06/2009	98	Thermometers must be easily found in all refrigerators Mops must be hung to air dry
Dollar General Store 111 West Main Street Scottsville, KY 42164	10/14/2009	100	Congratulations on a Perfect Score!
Domino's Pizza 213 East Main Street Scottsville, KY 42164	07/09/2009	95	Coke refrigerator door handle in need of repair 3 compartment sink in need of repair Restroom lacks self-closing door Light in refrigerator needs to be maintained.
Earl G. Dumplin's 1650 Old Gallatin Road Scottsville, KY 42164	09/03/2009	95	Salad bar not maintained Prep table not maintained Urinal leaking Floors not drained
Enchanted Celebrations 106 North Court Street Scottsville, KY 42164	06/23/2009	100	Congratulations on a perfect score!
Family Dollar 1597 Old Gallatin Road Scottsville, KY 42164	11/19/2009	97	Non food items stored over food items Mops must be hung to dry Litter around exterior of building
Food Lion 1224 Gallatin Road	07/15/2009	91(Food) 91 (Retail)	Men's Restroom – lavatory leaking. Garbage area – receptacles not covered, insects present

Scottsville, KY 42164

Flies present inside facility.
Lights not shielded.
Floors lack frequent cleaning.

G-Pa's Lake & Catfish
450 Old Gallatin Road
Scottsville, KY 42164

08/05/2009 94

Handwash sink cabinet in need of repair
Microwave lacks frequent cleaning
Air conditioner x2 grills lack frequent cleaning
Garbage receptacles need to be covered (flies)

Habegger's Amish Market
345 Perrytown Rd.
Scottsville, KY 42164

06/26/2009 97

Thermometers must be present in all refrigerators & freezers
Pies must be covered during storage
Prep knife lacks frequent cleaning

Habegger's Variety Store
1245 Shores Road
Scottsville, KY 42164

04/23/2009 95

No Hot Water

Harper's Catfish
3085 Old Gallatin Road
Scottsville, KY 42164

08/07/2009 92

Few tables in need of repair
Ice machine & coke nozzles lack frequent cleaning
AC, coke, ice machine grills lack frequent cleaning
Floors in need of repair
Walls & ceilings in need of repair

Houchen's - IGA Xpress #13
113 Jack's Shopping Center
Scottsville, KY 42164

08/27/2009 96

Food stored under liquid non-food items
Restroom doors lack self-closing springs

J & L Market
259 Barren River Dam Road
Scottsville, KY 42164

07/22/2009 95 (Food)
95 (Retail)

Food & food trays, cups must be stored 6" off floor
Cup lids must be safe during dispensing
Plumbing not maintained
Refrigerator not cleaned

J.E. Bazzell Middle School
201 New Gallatin Road
Scottsville, KY 42164

11/19/2009 98

Seals on milk cooler lack frequent cleaning
Walls have peeling paint & evidence of possible mold
Ceiling in storage area has peeling paint

Jr. Food Store, #12 1840 Gallatin Road Scottsville, KY 42164	01/05/2009	95 (Food) 90 (Retail)	OTC drugs out of date Cups must be stored 6" from floor Ice machine lacks frequent cleaning Mops must be hung to air dry
Jr. Food Store, #816 716 East Main Street Scottsville, KY 42164	11/19/2009	98	Floors in need of repair Mops must be hung to dry
Learning Center 130 Old Hartsville Road Scottsville, KY 42164	06/18/2009	98	Garbage Overflowing.
Los Mariachi's 510 East Main Street Scottsville, KY 42164	10/06/2009	97	Thermometers must be in all refrigerators & freezers Dishes in use that are chipped
Mapco (Delta) 364 Old Gallatin Road Scottsville, KY 42164	10/16/2008	95	Evidence of rodent droppings Premises need maintenance
Marathon 1204 Bowling Green Road Scottsville, KY 42164	07/30/2009	90	No chlorine test strips 3 compartment cabinet lacks frequent cleaning Hand sinks have no hot water Refrigerator light lacks shield (walk-in) Mops x 2 must be hung to air dry
Martha Jo's 360 Old Gallatin Road Scottsville, Ky 42164	03/05/2009	79	Thermometers not present Freezers in need of repair Multiple cabinets in need of repair Wiping cloths stored on counter, not in sanitizer Refrigerators not clean Fans, shelves, not clean Water leak at shelving by cash register No self-closing doors for restrooms

			<ul style="list-style-type: none"> Garbage containers not covered, in need of repair Garbage area unclean Floors, walls, ceilings in need of repair & cleaning Salad bar light lacks cover Vents have no shield Mops not stored properly Electrical boxes not covered.
McDonalds 359 Old Gallatin Road Scottsville, KY 42164	07/23/2009	93	<ul style="list-style-type: none"> Food must be stored 6" from floor Ice scoop inappropriate Drain not working properly – coke machine Coke nozzles lack frequent cleaning Mops must be hung to dry
Medical Center – Scottsville 456 Burnley Road Scottsville, KY 42164	09/09/2009	98	<ul style="list-style-type: none"> Freezer door lacks frequent cleaning - corrected Sink in need of repair
Minit Mart #48 480 Old Gallatin Road Scottsville, KY 42164	09/19/2009	96	<ul style="list-style-type: none"> Restrooms lack self-closing door Floor tiles in need of repair Shield missing from light
Mo's Grocery 103 Halifax Bailey Road Scottsville, KY 42164	03/26/2009	99	<ul style="list-style-type: none"> Ice Cream Freezer in need of repair
Notley & Ann's Bait Shop 8500 Brownsford Road Scottsville, KY 42164	06/17/2009	100	<i>Congratulations on a Perfect Score!</i>
Pizza Express 1224 Gallatin Road Scottsville, KY 42164	09/24/2009	94	<ul style="list-style-type: none"> Toilet room used as storage Oven top lacks frequent cleaning Toilet Room lacks self closing door Light does not have shield in walk-in

Pizza Hut 498 Gallatin Road Scottsville, KY 42164	08/20/2009	95	Food must be stored off floor Freezer (walk-in) door in need of repair Rack in need of cleaning Walls & Ceiling in need of repair Molding in need of repair Walk-in refrigerator (walls & ceilings) lack frequent cleaning
Ranger Bob's 498 Gallatin Road Scottsville, KY 42164	07/02/2009	93 (Food) 98 (Retail)	Electrical wire exposed AC Grill lacks frequent cleaning Meds out of date
Richey's Country Corners 2200 Shores Road Scottsville, Ky 42164	06/04/2008	98	Sink in need of maintenance Walls and ceilings in need of repair
Rite Aid Pharmacy #1060 385 Old Gallatin Road Scottsville, Ky 42164	11/19/2009	100	<i>Congratulations on a perfect score!</i>
Save A Lot 1407 Gallatin Road Scottsville, Ky 42164	10/06/2009	93	Knife container in need of cleaning Fan grills lack frequent cleaning (meat dept.) Freezer has buildup of frost Men's toilet room needs frequent cleaning Leak in ceiling needs repair Tiles in need of repair Electrical cover missing
Scottsville Manor 824 North 4 th Street Scottsville, Ky 42164	07/09/2009	98	Non food Contact surface not acceptable Refrigerator lacks frequent cleaning
Smokehouse BBQ 2348 Barren River Dam Road Scottsville, KY 42164	06/06/2008	94	Non-food contact surface not clean (splash elec box) Self – closing doors not present in toilet rooms Grease trap area not maintained adequately Air filter needs to be maintained.

Smoke Shack BBQ
100 Holt Drive
Scottsville, KY 42164

10/14/2009

96

Thermometers must be in all refrigerators & freezers
Waste receptacle must be covered in restroom
Lights must be shielded

Sonic Drive-In
350 Old Gallatin Road
Scottsville, KY 42164

10/07/2009

97

Ice cream machine lacks frequent cleaning
Ice machine lacks frequent cleaning
Fan shield lacks frequent cleaning
Rubber seals on freezer lack frequent cleaning

Steenbergen & Son Processing
1587 Steenbergen Road
Scottsville, Ky 42164

06/19/2009

97

Refrigerator vent lacks frequent cleaning
Floors lack frequent cleaning

Subway
111 Jacks Shopping Center
Scottsville, KY 42164

07/09/2009

93

Floor drain not clean
Mops must be hung to dry
Ice machine lacks frequent cleaning

Tellie's Café
103 Cherry Street
Scottsville, KY 42164

08/27/2009

85

Refrigerators not working properly
Freezer in need of cleaning
Wiping cloths must be stored in sanitizing solution
Toilet rooms in need of repair
Floors in need of repair
Walls & ceilings in need of repair
Lights must be shielded
Vent lacks maintenance
Misc articles in establishment improperly stored
Non-food surfaces lack frequent cleaning

The Feed Room
987 Highland Church Road
Scottsville, KY 42164

9/24/2009

100

Congratulations on a perfect score!

Seasonal Establishments

Barefoot Republic Camp Scottsville, KY 42164	06/17/2009	99	Thermometers must be present in all refrigerators and freezers
Paradise Point US HWY 31-E Scottsville, Ky 42164	06/11/2008	98	Wiping cloths not stored in sanitizing solution Ceiling in need of repair
Scottsville Girl's Softball Fred Hale Park Scottsville, Ky 42164	06/04/2008	98	Thermometers must be in all refrigerators and freezers
Taylor Christian Camp Booker Road Scottsville, KY 42164	06/17/2009	92	Ice Machine not frequently cleaned
Youth, Inc. Fred Hale Park Concessions	06/21/2008	97	Refrigerator lacks frequent cleaning Freezer out of temperature Toilet rooms in need of repair No soap or hand drying towels in toilet rooms